

PERMANENT CERTIFICATE

FOR REGISTRATION OF CLINICAL ESTABLISHMENT

Provisional Regi. No.: - DRA/CEA/PVT/165/MARCH/2019

Date of issue:- 17/6/19

Valid up to:- 24-03-2019 TO 23-03-2024

1-Name of the C.E:- AAROGYADHAM SUPER SPECIALITY HOSPITAL &
RESEARCH CENTER

2-Address:- 6, NEW ROAD NEAR DOON HOSPITAL, DEHRADUN

3-Owner of the C.E:- DR. VIPUL DUTT KANDWAL


4-Name of person in charge:- DR. PRACHI C KANDWAL

5-System of Medicine:- ALLOPATHIC

6-Type of Establishment:- HOSPITAL (100BED)

Is hereby permanently registered under the provisions of
Clinical Establishment (Registration & Regulations) Act 2010 and
the Rules made there under.

This authorization is subject to the condition as specified in
the rules in force under the Clinical Establishment (Registration &
Regulations) Act 2010 and the Rules made there under.


District magistrate/ Chairman
District Registration Authority
Dehradun

Place:- DEHRADUN

Date:- 17/6/19

District Registration Authority

Court Road, Dehradun

Ph. 0135-2726256

Ph. 0135-2726066





सत्यमेव जयते

INDIA NON JUDICIAL Government of Uttarakhand

e-Stamp

Certificate No.	: IN-UK24110988736702T
Certificate Issued Date	: 23-Apr-2021 12:57 PM
Account Reference	: NONACC (SV)/ uk1214704/ DEHRADUN/ UK-DH
Unique Doc. Reference	: SUBIN-UKUK121470451944129582465T
Purchased by	: SHREE DEV BHOOMI INSTIUTE
Description of Document	: Article-5 Agreement or Memorandum of an agreement
Property Description	: NA
Consideration Price (Rs.)	: 0 (Zero)
First Party	: SHREE DEV BHOOMI INSTIUTE
Second Party	: AROGYADHAM HOSPITAL DEHRADUN
Stamp Duty Paid By	: SHREE DEV BHOOMI INSTIUTE
Stamp Duty Amount(Rs.)	: 100 (One Hundred only)



AB. No. ...
MOHAN BHOSHNI ...

Please write below this line.

स्मृति पत्र (एम0ओ0यू0)

यह स्मृति पत्र आज दिनांक 23-04-2021 को स्थान देहरादून में आरोग्य धाम सुपर स्पेशलिटी हॉस्पिटल, 8-न्यू रोड, देहरादून द्वारा प्रोपराईटर डॉ० विपुल दत्त कण्डवाल पुत्र श्री विजेन्द्र दत्त कण्डवाल निवासी सूरज विला, लेन नं०-तेग बहादुर रोड, देहरादून।

..... प्रथम पक्ष

एवं

श्री देव भूमि इंस्टीट्यूट आफ एजुकेशन साइन्स एण्ड टेक्नोलॉजी, कार्यालय स्थित ग्राम मझौन, पो०-पौधा, बाया प्रेमनगर, देहरादून द्वारा चेयरमैन श्री श्रीनिवास नौटियाल पुत्र स्व० श्री बी०एन० नौटियाल, निवासी- 4/9, शास्त्रीनगर, हरिद्वार रोड, देहरादून।

..... द्वितीय पक्ष

Statutory Alert:

1. The authenticity of this Stamp Certificate should be verified at www.shoilestamp.com or u
Any discrepancy in the details on this Certificate and as available on the website / Mobile App, renders it invalid.
2. The onus of checking this QR Code is on the users of the certificate.

Shree Dev Bhoomi Institute of
Education, Science & Technology
P.O. Roundha

सदैव यह प्राविधान रहेगा कि जहाँ कहीं भी इस विलेख में प्रयुक्त शब्द "प्रथम पक्ष" एवं "द्वितीय पक्ष" प्रयुक्त हुए हैं वहाँ-वहाँ प्रथम पक्ष एवं द्वितीय पक्ष शब्दों में उनके उत्तराधिकारी, किन् प्रतियोगिता स्थानापन्न, विधिविहित प्रतिनिधि शामिल व पाबन्द होंगे।

विदित हो कि प्रथम पक्ष एक निजी चिकित्सालय है, जो सम्पत्ति संख्या-9/6/1 (पुरानी संख्या-6/1), सम्पत्ति संख्या-6बी (पुराना संख्या-6ए, नया नम्बर 6/5) व सम्पत्ति संख्या-6 (नया नम्बर 10), अमृतकौर रोड, (न्यू रोड), देहरादून पर स्थित है व आरोग्यधाम सुपर स्पेशलिटी हॉस्पिटल, के नाम से विख्यात है। चिकित्सालय का निर्माण प्रथमतः, द्वितीयतः व तृतीय तः पर है जिसके निर्माण का क्षेत्रफल लगभग 919.9 वर्गमीटर अर्थात् 9891.50 वर्गफीट तक विस्तृत है, जिसको संलग्न मानचित्र में स्पष्ट किया गया है। उक्त चिकित्सालय में चिकित्सक सेवायें संचालित हो रही हैं तथा स्वास्थ्य सेवाओं के संचालन में किसी प्रकार का अवरोध उत्पन्न होने की आशंका नहीं है। प्रथम पक्ष का उपरोक्त चिकित्सालय राज्य सरकार व नर्सिंग कौंसिल ऑफ इण्डिया के अनुसार प्रशिक्षण कार्य करने के नोर्स को पूरा करता है तथा चिकित्सालय वर्तमान में 100 बैड क्षमता धारी है तथा वर्तमान में चिकित्सालय भारतीय नर्सिंग परिषद के मानकों के अनुसार क्रियाशील है।


विदित हो कि द्वितीय पक्ष एक शैक्षिक संस्थान है जो बी0एस0सी0 नर्सिंग (पोस्ट बेसिक) कोर्स का संचालन करना चाहता है किन्तु चिकित्सालय निर्माण के अभाव में ऐसे कोर्सस संचालन करने में असफल रहा है, इसलिए द्वितीय पक्ष उक्त कोर्सस के लिए शैक्षिक कार्य का संचालन करने में असफल रहा है, इसलिए द्वितीय पक्ष उक्त कोर्सस के प्रशिक्षण हेतु द्वितीय पक्ष के चिकित्सालय की आवश्यकता है। इस कारण द्वितीय पक्ष ने प्रथम पक्ष से 07 वर्षों के लिये उसके चिकित्सालय में प्रशिक्षण के लिये प्रस्ताव किया, जिसे प्रथम पक्ष द्वारा स्वीकार कर लिया गया है। इसलिए यह स्मृति पत्र विलेख अंकित किया जा रहा है।

अतः यह स्मृति पत्र निम्न दर्शाता है:-

1. यह कि प्रथम पक्ष एक निजी चिकित्सालय है, जो सम्पत्ति संख्या-9/6/1 (पुरानी संख्या-6/1), सम्पत्ति संख्या-6बी (पुराना संख्या-6ए, नया नम्बर 6/5) व सम्पत्ति संख्या-6 (नया नम्बर 10), अमृतकौर रोड, (न्यू रोड), देहरादून पर स्थित है जो एक चिकित्सालय है, जिसमें भूमि का क्षेत्रफल 1182.59 वर्गमीटर है व आरोग्यधाम सुपर स्पेशलिटी हॉस्पिटल, के नाम से विख्यात है। चिकित्सालय का निर्माण भूतल में निर्मित क्षेत्रफल 383.40 वर्गमीटर, प्रथमतः में निर्मित क्षेत्रफल 376.48 वर्गमीटर, द्वितीय तल में निर्मित क्षेत्रफल 153.03 वर्गमीटर है, जिसके निर्माण का कुल क्षेत्रफल लगभग 919.9 वर्गमीटर अर्थात् 9891.50 वर्गफीट तक विस्तृत है।

2. यह कि द्वितीय पक्ष बी0एस0सी0 नर्सिंग (पोस्ट बेसिक) कोर्स के लिये शैक्षिक कार्य का संचालन अपने इन्स्टीट्यूट से करेगा तथा उक्त कोर्सस के प्रशिक्षण हेतु प्रथम पक्ष के चिकित्सालय का उपयोग करेगा।

यह कि प्रथम पक्ष का उपरोक्त चिकित्सालय राज्य सरकार व नर्सिंग कौंसिल ऑफ इण्डिया के अनुसार शैक्षिक कार्य करने के नोर्स को पूरा करता है तथा चिकित्सालय वर्तमान में 100 बैड क्षमताधारी है तथा वर्तमान में चिकित्सालय भारतीय नर्सिंग परिषद के मानकों के अनुसार क्रियाशील है।



[Handwritten signature]

[Handwritten signature]
Shree Dev Bhoomi Institute of
Education Science & Technology

4. यह कि उपरोक्त समयावधि 07 वर्ष की अवधि समाप्त होने के पश्चात् यदि पक्षकार चाहें तो दानों पक्षों की सहमति से समयावधि आगे बढ़ाई जा सकती है तथा यदि कोई भी पक्षकार इस स्मृति पत्र को निरस्त कराना चाहे तो ऐसा पक्षकार एक कलेण्डर वर्ष पूर्व दूसरे पक्ष को लिखित में सूचित करेगा।

5. यह स्मृति पत्र बी०एस०सी० (नर्सिंग) एवं पोस्ट बेसिक (बी०एस०सी नर्सिंग) पाठ्यक्रम के लिए शैक्षिक कार्य संचालन करने हेतु और उक्त कोर्स को परीक्षण हेतु द्वितीय पक्ष प्रथम पक्ष के चिकित्सालय उपयोग प्रयोगात्मक/अभ्यासिक प्रशिक्षण के लिए करेंगे। प्रथम पक्ष ने द्वितीय पक्ष के अलावा किसी अन्य संस्थान के साथ चिकित्सालय की शैय्याओं का आवंटन नहीं किया है।

अतः यह स्मृति पत्र आज दिनांक 23-04-2021 को स्थान देहरादून में साक्षीगण के समक्ष अंकित कर दिया है ताकि साक्ष्य रहे और समय पर काम आवे।

ह० प्रथम पक्ष.....


Shri. Prakash Super Speciality
Hospital & Research Centre
New Road, Dehradun (U.K.)

गवाह-1

ह० द्वितीय पक्ष.....

Shree Dev Bhoomi Institute of
Education Science & Technology
Village-Mazhon, P.O. Poundha
Via-Premnagar, Dehradun (U.K.)

गवाह-2



ATTESTED

05/6/2021
Mrs. Sunita Rani
Advocate & NOTARY
Distt. Court, Dehradun
(Uttarakhand) INDIA
Regn.No.23(01)2018
Mob.9897872124



Regional Office
Uttarakhand Pollution Control Board
E-115, Nehru Colony, Dehra Dun
E-mail : rouppcb@gmail.com,
Phone No.-0135-3593200

REF:-UKPCB/ROD/BMW/DUN/CON-312/2023-24/ 1604 - 729

Date 01/08/23

To,
M/s Arogyadham Super specialty Hospital &
Research Centre,
Near Doon Hospital New Road,
Dehradun.

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous Waste (Management, Handling and Tran boundary Movement) Rules, 2016" and Authorization under Bio-Medical Waste Management Rules, 2016, notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act, HW Rules and BMW Rules respectively).

Application No-3792567 Date-27-03-2023
CCA-Renewal

CCA is hereby granted to M/s Arogyadham Super specialty Hospital & Research Centre, Near Doon Hospital New Road, Dehradun. subject to the provisions of the Water Act, Air Act, HW Act, BMW Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

1- This CCA/ BMW Authorization is **Granted** for a period up to 30-09-2024.

Type of HCF	Beds -49
Total Waste Generated (Kg/Day)	27 kg
Waste Disposal	CBWTF
Liquid Waste	As Per BMW Rule-2016

2- Specific Conditions under Water Act:

i) The daily quantity of effluent discharge(KLD):

	Last CCA	Present CCA
Trade Effluent	Nil	Nil
Sewage	17	17

ii) Trade Effluent Treatment and Disposal : Nil

M/s Arogyadham Super specialty Hospital &
Research Centre, Dehradun. (1)

- iii) **Sewage Treatment and Disposal** : The applicant shall treatment and disposal facility for the treatment of domestic waste water as per norms.

3. Conditions under Water Act

Sewage Treatment and Disposal: (i) The applicant shall provide comprehensive Sewage Treatment Plant as is required with reference to influent quantity and quality.

(ii) The treated sewage shall be sent to CETP/Reuse in gardening/Land disposal/Disposal in a drain and the same shall be maintained continuously so as to achieve the quality of the treated

Effluent to the following standards as applicable under **Environment (Protection) Rules, 1986** from time-to-time:

pH	Between	6.5 to 9.0
Suspended Solids	Not to exceed	100mg/l
BOD	Not to exceed	30 mg/l
Oil & Grease	Not to exceed	10 mg/l
COD	Not to exceed	250 mg/l
Bio Assay Test	Not to exceed	90% Survival of Fish of test 96 hour in 100% effluent

4. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack Hight Mts	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1.	DG Set- 125KVA	As Per Rules	HSD	-	Acoustic enclosure and Stack	-

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Night Time in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night Time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m

5. Conditions under Hazardous Wastes.Rules, 2016:-

(i) Number of authorization and date of issue: _____

(ii) The Superintendent/ In charge of M/s Arogyadham Super specialty Hospital & Research Centre, Near Doon Hospital New Road, Dehradun. is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.

(iii) The authorization is granted to operate a facility for generation, collection and storage of hazardous Wastes.

(iv) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1.	Schedule-I- 1	-	Recyclable


Regional Officer I/C

Copy to : Member Secretary ,Uttarakhand Pollution Control Board For Kind information Please.

Regional officer I/C


Specific Conditions:


1. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
2. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
3. Solid wastes generated from the hospital have to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
4. The hospital shall comply with the **Manufacture, Storage and Imports of Hazardous Chemicals Rules, 1989** notified under the **Environment (Protection) Act, 1986** (as amended).
5. The hospital shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
6. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the **Central Pollution Control Board**.
7. The hospital shall strictly adhere with the specific and general conditions issued with CTE order. Any violation of stipulated conditions may attract legal action under the provisions of **Water Act, Air Act and Environment (Protection) Act and Rules** made there under.
8. Unit shall ensure manifest system in **Form-13** of HW Rules while disposing hazardous waste.

9. Unit must be submitting self-attested affidavit in every year end of March for compliance of consent to operate.
10. The hospital shall strictly comply with the provisions of Water, Air, BMW and E (P) Acts and Rules/Notifications made there under.

Terms and conditions of authorization:

1. The authorization shall comply with provisions of the Environment (protection) Act 1986 & the rules made there under.
2. The authorization or its renewal shall be produced for inspection on request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the bio-medical waste without obtaining prior permission of the prescribed authority.
4. The bins/bags should be labeled with bio-hazardous symbol. The bags used for BMW should be non-chlorinated.
5. Non Chlorinated Plastic Bags placed in bins should be changed with each shift when they are 3/4th full.
6. Non Chlorinated Plastic Bags carrying waste have to be Bar coding at the top whenever waste is being transported within/outside hospitals
7. According to schedule III & IV of the rules the colour coding & details of waste should be marked on collection bins.
8. No untreated bio-medical waste shall be kept stored beyond a period of 48 hours. if it becomes necessary to store beyond 48 hours the authorized person must take permission of the prescribed authority & to ensure that it does not adversely affect human health & environment.
9. Hospital shall submit annual report to the prescribed authority in form II, including information's about the categories and quantities of BMW handled.
10. Bio-medical waste shall not be mixed with other waste.
11. Validation test (spore testing and routine test for autoclave shall be performed regularly. Details regarding this as adopted shall be sent within a month.
12. The mercury spillage/losses should be given proper attention, so that it should not be part of the bio-medical waste or other solid wastes generated from your hospital
13. Bio-Medical waste shall be disposed off through the board's authorized agency.
14. The hospital authority shall ensure strict compliance of above conditions on day to day basis.
15. HCF must submit Treated effluent analysis Report with in 15 Days to this office.
The hospital shall comply with other general conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act, BMW Rules and Hazardous and other Wastes Rules, 2016 will result in legal action under the aforesaid Acts and Rules.





Regional Officer I/C



MEDICAL POLLUTION CONTROL COMMITTEE

(M.P.C.C.)


ISO : 14001:2015



BIO-HAZARD

[Registration No. 203-2000-2001]

H.O.: 21, E-BLOCK, PANKI, KANPUR • MOB.: 9235659305, 9235659306
CBWTF : 242-244, Mandavar, NH-73, Roorkee, Haridwar (U.K.) • Mob. 8726049732, 9761899653
E-mail : mpcckanpur@gmail.com • Website : mpcckanpur.com




S.No. MPCC/KNP/2020-21/38


CERTIFICATE OF MEMBERSHIP


This is to certify that

Arogyadham Multispeciality Hospital, Dehradun

is a member of Medical Pollution Control Committee which is authorized by
Uttarakhand Environment Protection and Pollution Control Board, in terms of M.O.E.F.
directives & "Bio-Medical Waste Management Rules, 2016 amended in 2018 & 2019."


Secretary
(M.P.C.C.)


Treasurer
For Medical Pollution Control Committee


President
(M.P.C.C.)

Date of Issue : 01 / 04 / 2020

Valid Upto : 31st March 2025